



HYDRO SHOOT

ASSEMBLY INSTRUCTIONS




HYDRO SHOOT R2.00

THE BASICS
WITHOUT COMPROMISE



Fabric Assembly of Hydroshoot range


For the small sizes
(HS80P / HS60 - HS80 - HS100)



For the big sizes

(HS40 / HS120 - HS150 - HS240 - HS240w - HS300 - HS300w - HS480W - HS600W)


1



HS150




2




HS300




3



4





5





HYDROSHOOT
HS80P

Structure Assembly HS80P PROPAGATOR



x8 C16-Y

x8 HS16-A


x4 HS16-M

x1 HS16-GH



Reference	HS80P Metric	Imperial
Dimensions	80 x 60 x 80cm	2 ² / ₃ ' x 2' x 2 ² / ₃ '
Windows	x1 30 x 20cm	x1 12" x 8"
Extraction	x1 Ø150mm	x1 Ø6in
Cable Sock	x1 Ø75mm	x1 Ø3in

Structure Assembly HS40



x8 C16-Y



x12 HS16-N



x4 HS16-C



x1 HS16-KL



x1 HS16-KH




Reference	HS40 Metric	Imperial
Dimensions	40 x 40 x 120cm	1½' x 1½' x 4'
Windows	x1 30 x 20cm	x1 12" x 8"
Extraction	x1 Ø150mm	x1 Ø6in
Cable Sock	x1 Ø75mm	x1 Ø3in



HYDROSHOOT
HS60

Structure Assembly HS60



x8 C16-Y



x4 HS16-A



x8 HS16-M



x4 HS16-C



x1 HS16-JL



x1 HS16-JH



Reference

Dimensions

HS60 Metric

60 x 60 x 160cm

Imperial

2' x 2' x 5¼'

Windows

x1 30 x 20cm

x1 12" x 8"

Extraction

x1 Ø150mm

x1 Ø6in

Intraction

x1 Ø150mm

x1 Ø6in

Cable Sock

x1 Ø75mm

x1 Ø3in




HYDROSHOOT

HS80

Structure Assembly HS80

HS60
HS80



x8 C16-Y



x12 HS16-A



x4 HS16-E



x1 HS16-GL



x1 HS16-GH




Reference	HS80 Metric	Imperial
Dimensions	80 x 80 x 180cm	2 ² / ₃ ' x 2 ² / ₃ ' x 6'
Windows	x1 30 x 20cm	x1 12" x 8"
Extraction	x1 Ø180mm	x1 Ø7in
Intraction	x1 Ø180mm	x1 Ø7in
Cable Sock	x1 Ø75mm	x1 Ø3in



HYDROSHOOT
HS100

Structure Assembly HS100



x8 C16-Y



x12 HS16-D



x4 HS16-E



x1 HS16-HL



x1 HS16-HH




Reference	HS100 Metric	Imperial
Dimensions	100 x 100 x 200cm	3 $\frac{1}{2}$ ' x 3 $\frac{1}{2}$ ' x 6 $\frac{1}{2}$ '
Windows	x1 30 x 20cm	x1 12" x 8"
Extraction	x1 Ø180mm	x1 Ø7in
Intraction	x1 Ø180mm	x1 Ø7in
Cable Sock	x1 Ø75mm	x1 Ø3in



HYDROSHOOT

HS120

Structure Assembly HS120



x8 C16-Y



x8 HS16-F



x4 HS16-D



x4 HS16-E



x1 HS16-IL



x1 HS16-IH



Reference

Dimensions

HS120 Metric

120 x 120 x 200cm

Imperial

4' x 4' x 6 $\frac{2}{3}$ '

Windows

x1 30 x 20cm

x1 12" x 8"

Extraction

x1 Ø230mm

x1 Ø9in

Intraction

x1 Ø230mm

x1 Ø9in

Cable Sock

x1 Ø75mm

x1 Ø3in


HS100
HS120



HYDROSHOOT

HS150

Structure Assembly HS150



x8 HS19-B



x8 HS19-C



x4 HS19-D



x4 HS19-E



x2 HS19-GL




x2 HS19-GH



x2 HS19-L





x8 C19-Y



Reference	HS150 Metric	Imperial
Dimensions	150 x 150 x 200cm	5' x 5' x 6 $\frac{3}{8}$ '
Extraction	x2 Ø280mm	x2 Ø11in
Intraction	x2 Ø280mm	x2 Ø11in
Cable Flange	x2 Ø70mm	x2 Ø2.8in



HYDROSHOOT
HS240

Structure Assembly HS240



x20 HS16-F



x9 HS16-D



x9 HS16-E




x1 HS16-IL



x4 HS16-IH





x8 C16-Y



x4 C16-K



x1 C16-XI



x4 C16-T



x1 C16-RF




Reference	HS240 Metric	Imperial
Dimensions	240 x 240 x 200cm	8' x 8' x 6 ² / ₃ '
Extraction	x2 Ø380mm	x2 Ø15in
Intraction	x2 Ø380mm	x2 Ø15in
Cable Flange	x3 Ø70mm	x3 Ø2.8in



HYDROSHOOT
HS300

Structure Assembly HS300



x20 HS19-B



x20 HS19-C



x9 HS19-D



x9 HS19-E



x2 HS19-GL




x8 HS19-GH



x5 HS19-L





x8 C19-Y



x8 C19-K



x1 C19-XI



x1 C19-RF




Reference	HS300 Metric	Imperial
Dimensions	300 x 300 x 200cm	10' x 10' x 6 $\frac{2}{3}$ '
Extraction	x2 Ø380mm	x2 Ø15in
Intraction	x2 Ø380mm	x2 Ø15in
Cable Flange	x5 Ø70mm	x5 Ø2.8in



HYDROSHOOT
HS240W

Structure Assembly HS240W



x13 HS16-F



x6 HS16-D



x6 HS16-E




x1 HS16-IL



x2 HS16-IH





x8 C16-Y



x2 C16-K



x2 C16-T




Reference	HS240W Metric	Imperial
Dimensions	240 x 120 x 200cm	8' x 4' x 6 ² / ₃ '
Extraction	x2 Ø280mm	x2 Ø11in
Intraction	x2 Ø280mm	x2 Ø11in
Cable Flange	x2 Ø70mm	x2 Ø2.8in



HYDROSHOOT
HS300W

Structure Assembly HS300W



x13 HS19-B



x13 HS19-C



x6 HS19-D



x6 HS19-E



x2 HS19-GL




x4 HS19-GH



x3 HS19-L





x8 C19-Y



x4 C19-K




Reference	HS300W Metric	Imperial
Dimensions	300 x 150 x 200cm	10' x 5' x 6⅔'
Extraction	x2 Ø380mm	x2 Ø15in
Intraction	x2 Ø380mm	x2 Ø15in
Cable Flange	x5 Ø70mm	x5 Ø2.8in



HYDROSHOOT
HS480W

Structure Assembly HS480W



x36 HS16-F



x15 HS16-D



x15 HS16-E




x8 HS16-IL



x2 HS16-IH





x8 C16-Y



x10 C16-K



x3 C16-XI



x7 C16-T



x2 C16-RF



Reference

Dimensions

HS480W Metric

480 x 240 x 200cm

Imperial

16' x 8' x 6 $\frac{2}{3}$ '

Extraction

x2 Ø380mm

x2 Ø15in

Intraction

x2 Ø380mm

x2 Ø15in

Cable Flange

x5 Ø70mm

x5 Ø2.8in



HYDROSHOOT
HS600W

Structure Assembly HS600W



x36 HS19-B



x36 HS19-C



x15 HS19-D



x15 HS19-E



x4 HS19-GL




x16 HS19-GH



x10 HS19-L





x8 C19-Y



x16 C19-K



x4 C19-XI



x2 C19-RF



Reference	HS600W Metric	Imperial
Dimensions	600 x 300 x 200cm	20' x 10' x 6 ² / ₃ '
Extraction	x2 Ø380mm	x2 Ø15in
Intraction	x2 Ø380mm	x2 Ø15in
Cable Flange	x5 Ø70mm	x5 Ø2.8in

METRIC

ESSENTIAL HYDROSHOOT			WGT	POLES	WATER
REF	DESIGNATION	REV	Net kg	Ø / Thickness mm / mm	TRAY Included
HS80P	Hydro Shoot 80 x 60 x 80 cm Prop.	R2.00	3,2	16 / 0.5-0.6	WT80.60
HS40	Hydro Shoot 40 x 40 x 120 cm	R2.00	2,9	16 / 0.5-0.6	WT40
HS60	Hydro Shoot 60 x 60 x 160 cm	R2.00	4,5	16 / 0.5-0.6	WT60
HS80	Hydro Shoot 80 x 80 x 180 cm	R2.00	5,2	16 / 0.5-0.6	WT80
HS100	Hydro Shoot 100 x 100 x 200 cm	R2.00	7,2	16 / 0.5-0.6	WT100
HS120	Hydro Shoot 120 x 120 x 200 cm	R2.00	8,5	16 / 0.5-0.6	WT120
HS150	Hydro Shoot 150 x 150 x 200 cm	R2.00	11,1	19 / 0.5-0.6	WT150
HS240	Hydro Shoot 240 x 240 x 200 cm	R2.00	21,0	16 / 0.5-0.6	2 WT240W
HS300	Hydro Shoot 300 x 300 x 200 cm	R2.00	28,8	19 / 0.5-0.6	2 WT300W
HS240W	Hydro Shoot 240 x 120 x 200 cm	R2.00	14,1	16 / 0.5-0.6	WT240W
HS300W	Hydro Shoot 300 x 150 x 200 cm	R2.00	18,4	19 / 0.5-0.6	WT300W
HS480W	Hydro Shoot 480 x 240 x 200 cm	R2.00	24,5	16 / 0.5-0.6	4 WT240W
HS600W	Hydro Shoot 600 x 300 x 200 cm	R2.00	26,5	19 / 0.5-0.6	4 WT300W

IMPERIAL

ESSENTIAL HYDROSHOOT			WGT	POLES	WATER
REF	DESIGNATION		Net lb	Ø / Thickness in / milli in	TRAY Included
HS80P	Hydro Shoot 2 $\frac{2}{3}$ ' x 2' x 2 $\frac{2}{3}$ '	R2.00	7,1	0.63 / 20-24	WT80.60
HS40	Hydro Shoot 1 $\frac{1}{2}$ ' x 1 $\frac{1}{2}$ ' x 4'	R2.00	6,4	0.63 / 20-24	WT40
HS60	Hydro Shoot 2' x 2' x 5 $\frac{1}{4}$ '	R2.00	9,9	0.63 / 20-24	WT60
HS80	Hydro Shoot 2 $\frac{2}{3}$ ' x 2 $\frac{2}{3}$ ' x 6'	R2.00	11,5	0.63 / 20-24	WT80
HS100	Hydro Shoot 3 $\frac{1}{2}$ ' x 3 $\frac{1}{2}$ ' x 6 $\frac{3}{4}$ '	R2.00	15,9	0.63 / 20-24	WT100
HS120	Hydro Shoot 4' x 4' x 6 $\frac{3}{4}$ '	R2.00	18,7	0.63 / 20-24	WT120
HS150	Hydro Shoot 5' x 5' x 6 $\frac{3}{4}$ '	R2.00	24,5	0.75 / 20-24	WT150
HS240	Hydro Shoot 8' x 8' x 6 $\frac{3}{4}$ '	R2.00	46,3	0.63 / 20-24	2 WT240W
HS300	Hydro Shoot 10' x 10' x 6 $\frac{3}{4}$ '	R2.00	63,5	0.75 / 20-24	2 WT300W
HS240W	Hydro Shoot 8' x 4' x 6 $\frac{3}{4}$ '	R2.00	31,1	0.75 / 20-24	WT240W
HS300W	Hydro Shoot 10' x 5' x 6 $\frac{3}{4}$ '	R2.00	40,6	0.75 / 20-24	WT300W
HS480W	Hydro Shoot 16' x 8' x 6 $\frac{3}{4}$ '	R2.00	54,0	0.63 / 20-24	4 WT240W
HS600W	Hydro Shoot 20' x 10' x 6 $\frac{3}{4}$ '	R2.00	58,4	0.75 / 20-24	4 WT300W



Secretjardin_



Secret Jardin Official



Secret Jardin



info@secretjardin.com



www.secretjardin.com

2019/09